			9
•	Application No.	Applicant(s)	
Notice of Allowshility	10/748,766	LEE, KANG-GYU	
Notice of Allowability	Examiner	Art Unit	
	Phuong Phu	2611	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS ( herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIG of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communic GHTS. This application is sub	is application. If not includ cation will be mailed in due	ed course. THIS
1. X This communication is responsive to the Amendment filed of	on 10/10/07.		
2. ⊠ The allowed claim(s) is/are <u>1 and 3-7</u> .			
<ol> <li>Acknowledgment is made of a claim for foreign priority un</li> <li>a)</li></ol>		f).	
2.   Certified copies of the priority documents have	been received in Application N	No	
<ol><li>Copies of the certified copies of the priority doc</li></ol>	cuments have been received in	this national stage applica	ition from the
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of noted below. Failure to timely comply will result in ABANDONMI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a ENT of this application.	reply complying with the re	quirements
4. A SUBSTITUTE OATH OR DECLARATION must be submining INFORMAL PATENT APPLICATION (PTO-152) which give	tted. Note the attached EXAMI is reason(s) why the oath or de	INER'S AMENDMENT or Neclaration is deficient.	IOTICE OF
5. CORRECTED DRAWINGS ( as "replacement sheets") must	t be submitted.		
(a) including changes required by the Notice of Draftsperson	on's Patent Drawing Review (	PTO-948) attached	
1)  hereto or 2)  to Paper No./Mail Date			
(b) including changes required by the attached Examiner's Paper No./Mail Date	Amendment / Comment or in	the Office action of	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the one header according to 37 CFR 1	drawings in the front (not the	back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposent attached Examiner's comment regarding REQUIREMENT F</li> </ol>	SIT OF BIOLOGICAL MATER FOR THE DEPOSIT OF BIOLO	IAL must be submitted. I DGICAL MATERIAL.	Note the
·			
	•		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5   Notice of Inform	mal Datant Ameliantian	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		mal Patent Application	
	Paper No./Ma	il Date	
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🗌 Examiner's Am	nendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🗵 Examiner's Sta	atement of Reasons for Allo	wance

Art Unit: 2611

## **DETAILED ACTION**

1. This Office Action is responsive to the Amendment filed on 10/10/07. Accordingly, claims 1 and 3-7 are currently pending; and claim 2 is canceled.

## REASONS FOR ALLOWANCE

- 2. Claims 1 and 3-7 are allowed.
- 3. References 6512747, 20020126629 and 20020110095 are additionally cited because they are pertinent to the claimed invention.
- 4. The following is an examiner's statement of reasons for allowance:

-Regarding independent claim 1, none of prior art of record teaches or suggests a method for processing PDUs (Protocol Data Units) in a receiver, which can receive a PDU to which a TSN (Transmission Sequence Number) is allocated from a transmitter, the method comprising the steps of: setting, in the receiver, a range of a receiver window; and when a sum of a TSN of a received PDU at an upper edge of the receiver window and a value of the set receiver window range is larger than a value of a total TSN of PDUs to be received if a TSN of the received PDU is outside of the set receiver window range, storing the received PDU in a reordering buffer if the TSN of the received PDU is within a predetermined range even though the TSN of the received PDU is smaller than the TSN of the PDU at the upper edge of the receiver window.

-Regarding independent claim 5, none of prior art of record teaches or suggests a receiver for processing PDUs (Protocol Data Units) for receiving a PDU to which a TSN (Transmission Sequence Number) is allocated from a transmitter, the receiver comprising: a HARQ (Hybrid Automatic Retransmission request) entity for setting a range of a receiver window, determining whether a sum of a TSN of a received PDU at an upper edge of the receiver window and a value

Application/Control Number: 10/748,766

Art Unit: 2611

of the set receiver window range is larger than a value of a total TSN of PDUs to be received if a TSN of the received PDU is outside of the set receiver window range, and storing the received PDU in a reordering buffer if the TSN of the received PDU is within a predetermined range even though the TSN of the received PDU is smaller than the TSN of the PDU at the upper edge of the receiver window.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phuong Phu whose telephone number is 571-272-3009. The examiner can normally be reached on M-F (8:00 AM - 4:30 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chieh Fan can be reached on 571-272-3042. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PHUONG PHU PRIMARY EXAMINER

> Phuong Phu 10/16/07

Phuong Phu Primary Examiner Art Unit 2611